App F IX 4

1928

Previous References Mk 1552 (Mk) 1 11~

File No Mk 135-28

Serial Nos. 3 4, 5 & 6

Later References

General and Revenue Secretariat.

Serial Nos for monthly

Part B for December 1929

SUBJECT

Proposal to refill the Boathere Tank at Mysore

To The President Mysore city Municipality

No 21623 Dated 19 12 1929

Works as per suggestion of The Chief Engr

Hbob The Tender Rs 1,516/- for refilling the existing

of cracks to Boathere tank Mysore will be met by the

Police Department

D-1456

(1

App F III—2]

General and Revenue Secretariat

Ml File No 135

of 1928

Serial No

Subject - Proposal to refill the Doddere Tank at Mysore

3 From The President, Mysore City Municipality No S T-495 Dated 16 9 29 With reference to this Office letter No. L 1202 — Mcl 135-28-2 Dy 13 8 29, Stating that the estimated amounting to Rs 1,516 has been approved by the Chief Engineer for repairing the existing feeder to the Doddere Tank in Mysore & that the work has been put in hand, forwards Copy of Mcl Cls Resolution no-64 Dy 31 8 29 On the subject to the effect that it is understood that Munic has not got to pay for the repair

1) Draft forwarding Copy of the letter & its enclosure to the Chief Engineer, with reference to his un-offl note no 46 Dy 2 8 29 to subd. for Consideration

Sd 20/9/29

3) [illegible]

4) Issue and submit to member for perusal

24/9

Note—Contn Sheet

WD 01684—GPB—30 000—

Serial No

4 To The Chief Engineer of Mysore no L2310 dated 25-9-29 Forwards Copy of letter no G-495-8 & 16-9-29 together with Copy of its enclosure from the Resident Mysore cg-mel CC stating that it is understood that the Mel CC has not yet to pay for the Repairs of the Dodkere Tank at Mysore

OFFICE OF THE RC M OF COUNCIL 28 SEP 1929 2845

5) Resubmitted vide paragraph 4 of the notes supra

Sub 26 9 29

6) Submitted 28 27/9

7) Seen

27/9

28/9

5 From the Chief Engineer of Mysore no 5144 dt 25-10-1929. With Ref to 4th states that the cost of repairing the existing feeder to Dodkere Tank at Mysore will be met by the Palace Dept.

8) Draft to President, Mysore cg-mel CC subm. for approval

Sub 28/10/29 (Monday) 28 29/10

WD 01684—GPB—30 000—20-4-29

SECRETARY'S OFFICE 7 - NOV 1929 No. 1925

OFFICE OF THE SECOND MEMBER OF COUNCIL 1 NOV 1929 No. 3515

OFFICE OF THE SECOND MEMBER OF COUNCIL 9 NOV 1929 No 3772

Serial No

10) For personal before issue
Mr 30/10

11) Second Member

12) Demand
CSY 5/11 Mr 7/11

13) Mr refers to the St Says letter re
Lt Indus & Karaya Tank Rd & Mrs Jagadambal Mr
Mrs Jagadambal Boddaken St re
inclusion of the Palace Col in ordinary
Bpay for repairs & thereon The point
was Lt Chan of Lpur sanctions estimate

Mr 7-11-29

14) For personal Mr Chief Engr may
be further consulted re o

15) Second Member Mr 8/11/29

16) Yes CSY 9/11

17) Please put up the representation from
the Pres. Mylapore re feeder & Pond also
received since Mr 9/11

18) Submit with Mr* File S/S-29 ante
MS
Yes Gen Brg Mr 15/11/29

Note—Conta Sheet

13/11/29

WD 01684—GPB—30 000—20-4 29

Note to from the Chairman, Trust-Bd & Trust from President Mr 15/11/29

* File from the Pres

General and Revenue Secretariat | 442 File No 785 of 192 8

Serial No

GEN SEY SEC No 536/29
16 NOV 1929
L S Bills wd

Reg No 10
R No 18/11/29

Forwarded to the Chief Engr with compts for further opinion. Kind reference is invited to Dewan's minute of 7/11/29 above.

Bangalore 13/11/29

15/11

Returned, with compliments, to the General Secretary to Government

2 A copy of letter no 12333 dated the 29th June 1929 received from the Superintending Engineer, Mysore Circle, on the subjedt, is enclosed The estimates have been countersigned by the Huzur Secretary to His Highness the Maharaja.

Chief Engineer of Mysore 30/11/29

Bangalore,
November 1929

OFFICE OF THE Secretary to M F Council
6 DEC. 1929
No 45243

Second branch

Dewan

3/12

13/12

13-12-29

14/12

WD 01684—GPB—30 000—20 1 29

—Cottn Street

(5

9 2015

App F III—1

General and Revenue Secretariat

File No 135 of 1928

Serial No	
6	To The President, Mysore Legislative Council No L4623 dated 19/12/29 Forwards for information Copy of letter dt 25/10/29 from the Chief Engr in Mysore stating that the Cost of the estimate for Rs 1516 for repairing the existing feeders to Dodkere Tank at Mysore will be met by the Palace Department



Note—Contn Sheet

WD 06 GPB—80 000—26 7 29

(6)

No. 87495
Enc 1

OFFICE OF THE PRESIDENT
CITY MUNICIPAL COUNCIL MYSORE

Dated 16th September 19 29

GEN & REV SECTT
L 1456
19 SEPT 1929
L S G L H

FROM

Y Ramaswami, Esq, B A, C E,
~~Thiru G. Rama Iyengar, Esq., B.A.,~~
President City Municipal Council
MYSORE

M L 135-28
Ser 3

To

The General Secretary to the Government
of His Highness the Maharaja of Mysore,
Bangalore

Sir

With reference to your letter No L 1202/III 135-28-2 dated 13th August 1929 stating that estimates amounting to Rs 1,516 have been approved by the Chief Engineer for repairing the existing feeders to the Doddakere Tank in Mysore and that the work has been ordered to be put in hand, I have the honour to forward herewith a copy of the Municipal Council's Resolution No 64 dated 31st August 1929 on the subject

I have the honour to be
Sir,
Your most obedient servant,

Y Ramaswami
President

Proceedings of the 2nd (Ordinary) meeting of the Kolar Municipal Council, Mysore, held in the Council Chambers on Saturday the 31st August 1929 at 8 a.m.

Present

Y. Ramaswami, Esq., B.A., B.L., Vice-President presiding

1. Y. Ramaswami, Esq., Vice-President.
2. [illegible], Esq.,
3. [illegible], Esq.,
4. [illegible], Esq.,
5. Sipper Sultan Ulli Khan, Esq.,
6. [illegible], Esq.,
7. [illegible], Esq.,
8. [illegible], Esq.,
9. A Krishna Rao, Esq., B.A., B.L.,
10. P Chandrabhan [illegible], Esq.,
11. [illegible], Esq., B.A., LL.B.
12. C Lakshmipathaiya, Esq., B.A.,
13. [illegible], Esq., L.L.B.,
14. [illegible], Esq.,
15. [illegible], Esq.,
16. [illegible], Esq.,
17. [illegible], Esq., B.A., L.L.B.,
18. [illegible], Esq.,
19. [illegible], Esq.,
20. Mrs. P Lechbald

Absent

1. [illegible], Esq.,
2. [illegible], Esq.,
3. [illegible], Esq.,
4. [illegible], Esq.,
5. [illegible], Esq., Professor [illegible]
6. [illegible], Esq.,
7. P Virupakshiah, Esq.,
8. [illegible], Esq., B.A., Esq.,
9. V.[illegible] Mudaliar, Esq.,

x x x

64 Letter No L 1202/M1 130-28-2 dated 13th August 1929 from the General Secretary to Government, stating that estimates amounting to Rs 1,516/- have been approved by the Chief Engineer for repairing the existing feeders to the Dodkere Tank and that the work has been ordered to be put in hand.

Resolution:- It is understood that the Municipality has not got to pay for the repairs

x x x

Sd/-Y Ramaswami,
President

"Copy"

Y Ramaswami
President

9

Appendix F G—1

SUBJECT

(8)

Diary No of letter replied to 1456

General and Revenue Secretariat

( )

the 192

Date of issue 25-9-29.

Signed by W. T. K. S. Iyer

Section ml

File No 135-28

Serial No 4

No L2310

cue

To

The Chief Engineer of Mysore

Sir With reference to Correspondence ending with your Endt Offl no 46 dated the 2nd August 1929, stating that estimates aggregating to Rs 1516/= have been approved for repairing the existing feeders to Doddakere Tank at Mysore & the work has been ordered to be put in hand

over

List of enclosures

Copied by

Examined by

WD 063—GPB—20 000—1 8 29

9.

I am directed to forward herewith, for information, Copy of letter no S F 49.5 of 16/9/29 together with Copy of its enclosure, received from the President, Nyasaland Protectorate, ~~in the matter~~ stating that he understood that the Board has not yet to pay for the repairs

I have etc.,

for

Secretary to Board

Secretary
20/9/29

Public Works Department,
Central Office

No 5144
Enc 1

Dated Bangalore 25 October 1929

GEN & REV SECTT 20/S
2 OCT 1929

From Rajasevasakta
J BHORE Esq AMICE Etc,
Chief Engineer of Mysore
Bangalore

To

B Narayanaswami Iyengar, Esq , B A , B L ,
General Secretary to Government,
Bangalore

Repairing the existing feeders to Dodkere tank at Mysore

Sir,

With reference to your letter No : 2320/A1 135-28-4 dated the 25th September 1929, I have the honour to state that the cost of the estimate approved for Rs 1,516 for the above work will be met by the Palace Department- vide copy of letter No 4520 dated the 23rd May 1929 from the Huzur Secretary to His Highness the Maharaja of Mysore

I have the honour to be,
Sir,
your most obedient servant,

J Bhore 23 10 29

Chief Engineer of Mysore.

V W S

12)

Letter No 4520 dated the 21st/23rd May 1929 from the Huzur Secretary to His Highness the Maharaja of Mysore to the Executive Engineer, Mysore Division

---

Adverting to your letter No 1528 dated the 9/12th May 1929, I have the honour to return herewith duly countersigned the estimates for Rs 1,405 and Rs 112 for repairing the feeder channels of the Karanji tank one from Kyathamanahalli side and the other from the New Guests' Mansion, Mysore The works may kindly be arranged to be executed and the relative bills of expenditure furnished in due course

---

"C o p y"

23 10 29

Chief Engineer of Mysore

V N S

13)

Letter No 12333 dated the 29th June 1929 from the Superintending Engineer, Mysore Circle, to the Chief Engineer of Mysore

---

Improving the feeder channel of the Dodkere tank, Mysore

With reference to correspondence ending with your No 10127 dated the 17th May 1929, I have the honour to submit herewith for your kind approval two estimates amounting to Rs 1,404 and 112 for repairs to two of the three feeders to Karanji tank in Mysore As the surplus water from this enters the Dodkere, improvements to the feeders to Karanji tank will be of use in improving the supply to Dodkere which is below Karanjikere There are three feeders to Karanjikere, it is now proposed to improve two of the feeders, the 3rd feeder will be improved later on

The estimates have been countersigned by the Huzur Secretary ~~Secretary~~ to His Highness the Maharaja of Mysore

The enclosed report will explain the proposal and the provision made in the estimate

The Executive Engineer reports that the work has been ordered to be put in hand as per estimate now submitted

The entire cost will be borne by the Palace Department

"C o p y"

30/11/29

Chief Engineer of Mysore

V r s

B

Appendix F G—1

SUBJECT

14)

Section ml

File No 135-28

Serial No 6

No L 4623

Encl 1

Diary No of letter replied to 2015

General and Revenue Secretariat

( )

the *192*

Date of issue 14/12/29

Signed by Wm M Donovan Lt/Col

To

The President
Nyasaland

Sir, With ref to Correspondence ending with your letter no S T 495 of the 16th Sept 1929, I am directed to forward herewith, for information Copy of letter no 5146 of 25th Oct 29 together with Copy of its enclosure from the Chief Engr in Nyasa stating that the Asst of the estimate amounting to Rs 1576 for repairing

List of enclosures

Copied by

Examined by

over

WD 063—GPB—20 000—1 8 29

15

The existing feeders
to Dordrey Bank are
insufficient will be met
by the Palace Depth.
I have etc,

W. Dyke
Genl. Mgr. & Secy.

(Offr)
28/10/29

15 Pages